

**AD-758 857**

# **Freezing Water with Sized AGI Particles**

**a survey**

**Part 1**

**Atmospheric Science Laboratory**

**prepared for**

**Army Electronics Command**

**MARCH 1973**

Distributed By:

**NTIS**

**National Technical Information Service  
U. S. DEPARTMENT OF COMMERCE**

**BEST**

**AVAILABLE**

**COPY**



AD

Reports Control Symbol  
OSD-1366

RESEARCH AND DEVELOPMENT TECHNICAL REPORT  
ECOM-5477


# FREEZING WATER WITH SIZED AgI PARTICLES PART I: A SURVEY

By

Hermann E. Gerber

Reproduced by  
NATIONAL TECHNICAL  
INFORMATION SERVICE  
U.S. Department of Commerce  
Springfield, VA 22151

March 1973



Approved for public release; distribution unlimited.

# ECOM

UNITED STATES ARMY ELECTRONICS COMMAND - FORT MONMOUTH, NEW JERSEY

## NOTICES

### Disclaimers

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government endorsement or approval of commercial products or services referenced herein.

### Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

ADD THIS TO	
THIS	Write Section <input checked="" type="checkbox"/>
DATE	DATE SECTION <input type="checkbox"/>
BY	<input type="checkbox"/>
DATE	<input type="checkbox"/>
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	Avail. and/or SPECIAL
A	

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D		
(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)		
1. ORIGINATING ACTIVITY (Corporate author) Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED
		2b. GROUP
3. REPORT TITLE FREEZING WATER WITH SIZED AgI PARTICLES, PART 1: A SURVEY		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
5. AUTHOR(S) (First name, middle initial, last name) Hermann E. Gerber		
6. REPORT DATE March 1973	7a. TOTAL NO. OF PAGES 102	7b. NO. OF REFS 46
8a. CONTRACT OR GRANT NO.	8b. ORIGINATOR'S REPORT NUMBER(S) ECOM-5477	
9. PROJECT NO. a. TASK No. 17061102.B53A.18.39	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
10. DISTRIBUTION STATEMENT Approved for public release; distribution unlimited.		
11. SUPPLEMENTARY NOTES	12. SPONSORING MILITARY ACTIVITY U. S. Army Electronics Command Fort Monmouth, New Jersey	
13. ABSTRACT A survey is made of previous experimental and theoretical attempts to determine the AgI particle size-ice nucleating activity relationship. This relationship is important since the successful phase transformation of water to ice in a supercooled cloud must depend on both the concentration and size of the injected AgI particles.  Fletcher's classical sublimation theory is found to be inconsistent with the few existing experimental results. The surprising conclusion is reached that a proven explanation of the behavior of AgI as a function of particle size has not been given. The Goetz Aerosol Spectrometer is suggested as the instrument capable of measuring the long elusive AgI particle size-activity relationship.		

DD FORM 1473

1 NOV 65

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE.

UNCLASSIFIED

Security Classification

**Security Classification**

~~UNCLASSIFIED~~  
Security Classification

Reports Control Symbol  
OSD-1366

Technical Report ECOM-5477

FREEZING WATER WITH SIZED AgI PARTICLES  
PART I: A SURVEY

By

Hermann E. Gerber

Atmospheric Sciences Laboratory  
White Sands Missile Range, New Mexico

March 1973

DA Task No. 11061102.B53A.18.39

Approved for public release; distribution unlimited.

US Army Electronics Command  
Fort Monmouth, New Jersey

## CONTENTS

	Page
INTRODUCTION . . . . .	1
FLETCHER'S THEORY . . . . .	2
CENTRIFUGAL SIZING OF NUCLEI . . . . .	5
CONCLUDING REMARKS . . . . .	6
LITERATURE CITED . . . . .	7



## INTRODUCTION

It is generally accepted that AgI in a finely subdivided form and suspended in air provides the most practical and efficient means of modifying supercooled clouds. Thus it comes as somewhat of a surprise that in more than 25 years since Vonnegut [1], [2] discovered the ice nucleating ability of AgI, no one yet has given a proven explanation of the behavior of AgI as a function of its subdivision. That information is of obvious practical importance. For most modifications the vastness of the atmosphere dictates that the output of AgI particle generators, which can vary over as many as four order of magnitudes [3], be optimized. In addition, others [4], [5] have suggested that a numerical value of the efficiency is also required, since the outcome of the cloud seeding depends on the in-cloud concentration of the AgI particles.

At first glance the largest number of AgI particles capable of nucleating ice simply might be synonymous with the greatest attainable state of subdivision of the bulk AgI in the generator. Unfortunately, that is not the case. There must exist a particle size below which the particles' curvature and limited surface area inhibit nucleation. A further complication is the need to specify which of several nucleating mechanisms are involved in the cloud, and how those are dependent on the particles' size. Theoretical and experimental attempts have been made to determine the AgI particle size-ice-nucleating activity relationship. However the theory has not yet been proved correct, and the experiments have been very limited. This paper, the first of a four part series, introduces our effort towards filling this gap in our knowledge.

## FLETCHER'S THEORY

For a time it seemed that Fletcher [6], [7] had developed a successful theory. He essentially applied the classical nucleation theory of Volmer and Weber [8] to AgI particles which had a uniform crystalline surface and which nucleated ice by sublimation.\* The theory also required specifying a value for the

---

\*The term sublimation, as used by Fletcher, strictly refers to the process in which ice nucleates on the particles directly from the surrounding vapor. In this paper sublimation will also include ice nucleation at and below water saturation without the presence of macroscopic quantities of water. The adsorption of water onto the AgI surface to form liquid embryos which subsequently freeze is thus included. Freezing will refer to ice nucleation when the AgI particle either contacts or is enclosed in a water droplet.

unknown contact angle of ice on the AgI surface. Fletcher assumed that all particles larger than  $2\mu\text{m}$  in diameter nucleated ice by sublimation at the observed activity threshold of about  $-40$ . He then used his theory to calculate an effective contact angle. The completed theory predicted that a different threshold temperature existed in the nucleation ability for each size of AgI particle. Fletcher used those thresholds to compute his familiar activity curve where the  $\log_{10}$  of the number of active particles per gram of AgI is given as a function of subfreezing temperature. The theory found strong support from the activities of AgI smokes measured in laboratory cold boxes. Often the experimental curves roughly paralleled the theoretical curve, while at most the difference between the two was several orders of magnitude (e.g., Vonnegut [2], Grant and Steele [3], Smith and Hoffernan [9], and Fluckay and Wells [10]). This apparent agreement suggested that the assumptions of the theory were essentially correct. Fletcher's contention that the AgI acted as a sublimation nucleus was also supported by the earlier experimental observations of Twilong [11], Schaefer [12], and Binstein [13] which showed that AgI demonstrated activity below water saturation. In addition, Bigg [14] and Hoffer [15] respectively found the AgI nucleation by freezing threshold at  $-120$  and  $-210$ , thus confirming for a time that sublimation was the predominant nucleation mechanism.

Subsequently a large amount of experimental work suggested that Fletcher's theory had serious flaws. The action of AgI as a sublimation nucleus was initially challenged by other measurements of the freezing threshold. Numerous workers (e.g., Boyardello [16], Rouilleau [17], and Mason and Van der Heuvel [18]) found a freezing threshold of about  $-40$ . Edwards and Evans [19] attributed Bigg's and Hoffer's colder values to the depression of the freezing threshold by the presence of iodide ions in their supercooled water. Early work [18] gave the sublimation threshold at  $-120$ . However, it has since been reconfirmed [20], [21] that this threshold also is about  $-40$ .

The sublimation mechanism was questioned further by the increasing evidence that AgI acts primarily as a freezing nucleus. Edwards and Evans [22] experimentally demonstrated how small AgI particles were efficient nucleators only if they were enclosed or came in contact with supercooled water. They also found that about 110% relative humidity was required to induce nucleation if the particles did not see water. Since the relative humidity in natural clouds rarely exceeds 101%, they concluded that the nucleation of ice must depend primarily on the collision of the

Agl particles with the supercooled cloud droplets, which then froze. The work of many [20], [23-28] supported that conclusion. Still, much more quantitative data is required to clarify the role that each nucleation mechanism plays as a function of incloud environment. Nevertheless, the evidence of the -40°C freezing threshold and the observed importance of the freezing mechanism suggest the possibility that the many experimental activity curves which have been drawn next to Fletcher's sublimation theory curve really reflect the freezing and not the sublimation behavior of Agl.

The concept of threshold temperature in Fletcher's theory was shown to be invalid [23], [24], [29]. According to his theory, the nucleation rate of particles of a given size is either negligible or so large that all particles activate. This rapid change in the rates occurs at an amount of supercooling termed the threshold temperature. Edwards et al. [23] observed the ice nucleation of monodisperse Agl particles in water, but did not find threshold temperatures for the three particle sizes, 0.17, 0.75, and 3.5µm, studied. Instead they determined that a fraction of the particles of each size activated and that the activity was proportional to the particles' surface area for any given temperature. Katz [29] and Mossop and Yayaweera [24] observed the same effects with sized Agl particles in a cloud chamber.

It had not been pointed out in the literature that the concept of threshold temperature is also inconsistent with the nucleation time lag observed first by Vonnegut [2] and again by Warburton and Jefferran [30]. Agl particles were found to nucleate ice in the cold chamber in decreasing amounts, even after 50 minutes had elapsed. Since the theoretical nucleation rate for a given size of Agl particles on either side of the threshold temperature is either immense or negligible, those particles with smaller sizes should not activate at all, while those with larger sizes should appear almost instantaneously. Thus a theoretical time lag is not possible. Fletcher's [7] explanation of the time lag was inconsistent with his own theory. He felt that the different nucleation rates of polydisperse Agl particles accounted for the experimental observations.

The temperature dependence of the time lag suggested to Edwards and Evans [20] that a possible explanation was found in the longer time required for the better and more hydrophobic nucleation sites to become wetted at the warmer temperatures. Vonnegut [2] explained the time lag as due to the chance occurrence of creating a stable ice embryo on the Agl surface. He felt that the temperature

dependence of the time effect ruled out, as an explanation of the time lag, the additional time required for the particles to diffuse to the droplets. It is interesting to note how the majority of experimental work with AgI has ignored the early observations of nucleation time dependency.

The failure of Fletcher's theory to account for the observations of fractional activity and the dependence of activity on particle area was blamed on his assumption that any part of the uniform surface of the AgI particle was as likely as any other part to nucleate the ice phase. Edwards et al. [23] neatly accounted for the observations by postulating instead the existence of an inhomogeneous AgI surface on which randomly distributed sites of widely different efficiencies nucleated ice. Various proposals have been made about the unknown nature of these "active sites," including hygroscopic patches of impurity atoms [31], [32], electrical inhomogeneities [20], and crystal growth steps [33]. Since the first two types of sites affect the adsorption of water on the AgI surface, they might well be important in nucleation by sublimation. However, their roles in freezing are uncertain. The third type of site was used by Fletcher [33] to develop new rate expressions for nucleation by freezing. He was now convinced that his earlier application of classical theory was incorrect.

Nearly all of the experiments referred to above have suggested errors in various aspects of Fletcher's original theory. Yet only a handful of work has been done on the most important one: the theory essentially tries to predict the size of the AgI particles below which they no longer assist nucleation. Probably that size as well as the size of most of the particles from AgI generators is below  $0.1\mu\text{m}$ . Thus measurements of the relationship between nucleation ability and particle size in that range are of the greatest relevance not only for comparison with the theory, but also for discovering the most active generator output.

Owing to the difficulty of determining particle size spectra below  $0.1\mu\text{m}$ , those measurements have not been completed. Some results were obtained by Maruyama [34], Mossop and Yayaweera [24], Sano et al. [35], and Edwards and Evans [22]. The first three investigators measured the nucleus size of replicated ice crystals formed by AgI smoke particles injected into a cold chamber. Maruyama found 0.4, 0.2, and  $0.08\mu\text{m}$  to be the sizes of the smallest active nuclei at -5, -10, and -14C, respectively, although the increments in his size histogram were about  $0.1\mu\text{m}$ . Mossop and Yayaweera tested AgI-NaI smoke and also found a temperature dependence, but shifted to smaller particle sizes. The involved nature of the replication technique appears to have made impractical

a thorough study of the activity-particle size relationship. The last two groups of investigators sized the AgI particles before testing their activity. Sano et al. found approximate agreement with Fletcher's sublimation theory, while Edwards and Evans concluded that particles of about  $0.02\mu\text{m}$  activated ice near  $-90^\circ\text{C}$  by the freezing mechanism. Two difficulties are encountered in sizing AgI particles beforehand. Not only is the definite connection between the particles' size and activation lost, but in addition a guess must be made of the nucleation mechanism when the particles are blown into the cold box.

#### CENTRIFUGAL SIZING OF NUCLEI

Allee et al. [36] proposed a new technique that promised to eliminate the experimental difficulties of sizing active ice nuclei. Essentially, the Goetz Aerosol Spectrometer, a high-speed centrifuge developed by Goetz et al. [37], is used to deposit airborne nuclei along its inert collection foil according to their size. The foil is removed from the centrifuge, cooled to the desired subfreezing temperature, and then humidified in a way which simulates the conditions for nucleation by either sublimation or freezing. In this controlled environment, the active nuclei grow into visible ice crystals. To find their size, only the location of the ice crystals need be recorded since the coordinates of the foil are related to particle size by Stokes law after calibration of the foil with particles of known size, shape, and density.

The centrifuge technique has been tried several times with AgI smoke particles. On two occasions (Allee et al. [38], and Gerber [39]) the measured activity spectrum of the AgI particles between the sizes of  $0.02$  and  $0.1\mu\text{m}$  closely resembled the predictions of Fletcher's sublimation theory. However, Gerber [40] later suggested that the freezing mechanism had actually been observed due to flaws in the experimental procedure. Additional measurements [41] of the particles' freezing activity gave results which differed somewhat from the previous work. Some uncertainty existed in these last measurements since the size of the AgI particles was difficult to define due to their highly coagulated nature. In addition, a large error might have been included since the nucleation time lag again was not accounted for. Obviously, the centrifuge technique had not yet been successfully utilized.

The Goetz Aerosol Spectrometer was chosen for the present study because it is the only available instrument capable of determining the small sizes of active AgI particles. Although the manufacturer of this centrifuge claimed sizing accuracy for polydisperse

particles between 0.03 and 3.0 $\mu$ m, controversy surrounded the accuracy of its measurements for many years. In a comprehensive theoretical discussion of the instrument's behavior, Stober and Zessack [42] showed that the centrifuge had inherent flaws which prevented it from accurately sizing particles. Although they offered a limited amount of supporting experimental work, some question of the instrument's capabilities still remained. They had not explained why the original calibration work of Goetz et al. [37] reflected proper operation of the centrifuge. Additional experimental evaluations of the centrifuge failed to clarify its usefulness. Raabe [43] sided with the theory, but the statistical error of his data was too large to permit a firm conclusion; the work of Baust [44] found abnormalities in the operation of the centrifuge, but not in the manner predicted by Stober and Zessack [42].

Gerber's recent evaluation of all the previous work concluded that the verdicts of the instrument's capabilities lacked experimental evidence [45]. As a result of the first thorough calibration, he discovered the operating conditions for accurate use of the centrifuge, the incorrect assumption which invalidated the theory of Stober and Zessack, and an explanation of the inconsistencies in the previous calibration attempts. The one other commercially available centrifuge [46] was not suitable for the present purpose, since it loses its resolution for particles smaller than about 0.1 $\mu$ m.

#### CONCLUDING REMARKS

The subsequent papers of this study will describe the use of the centrifuge technique to measure the ability of AgI smoke particles to nucleate supercooled water as a function of particle size, temperature, and activation time. The experimental aspects, generation of the AgI particles, measurement of their shape and size distributions, construction of a new cold chamber with the proper temperature and humidity control, and the measurement of the active fraction of the AgI particles will be given in detail. In addition, another look will be taken at Fletcher's theories to see how they fare in the particle size region where they should be most applicable.

It is hoped that this effort will answer some of the many remaining questions concerning the action of AgI as a freezing nucleus. Those questions include: What is the physical nature of the nucleation process, and can this process be described theoretically, what is the proper role of the nucleation time lag, and perhaps most important of all, what is the relationship between AgI particle size and nucleating ability?

# LITERATURE CITED

1. Vonnegut, B., 1947, "The Nucleation of Ice Formation by Silver Iodide," J. Appl. Phys., 18, 593.
2. Vonnegut, B., 1949, "Nucleation of Supercooled Water Clouds by Silver Iodide Smokes," Chem. Rev., 44, 277-289.
3. Grant, L. O., and R. L. Steel, 1966, "The Calibration of Silver Iodide Generators," Bull. Amer. Meteor. Soc., 47, 713-717.
4. Ludlam, F. H., 1955, "Artificial Snowfall from Mountain Clouds," Tellus, 7, 277-290.
5. Grant, L. O., C. F. Chappell, and P. W. Mielke, Jr., 1968, "The Recognition of Cloud Seeding Opportunity," Proc. First Nat. Conf. on Weather Modification, Albany, New York, 372-385.
6. Fletcher, N. H., 1958, "Size Effect in Heterogeneous Nucleation," J. Chem. Phys., 29, 572-576.
7. Fletcher, N. H., 1959, "On Ice-Crystal Production by Aerosol Particles," J. Meteor., 16, 173-180.
8. Voimer, M., and A. Weber, 1925, "Keimbildung in Ubersattigten Rebuilden," Z. Phys. Chem., 119, 277-301.
9. Smith, E. J., and K. J. Heffernan, 1954, "Airborne Measurements of the Concentration of Natural and Artificial Freezing Nuclei," Quart. J. R. Meteor. Soc., 80, 182.
10. Fuquay, D. M., and H. J. Wells, 1957, "The Project Skyline Cloud Seeding Generator," US Advisory Committee on Weather Control, Final Report, 2, 273.
11. Cwilong, B. M., 1949, "Sublimation in Outdoor Air and Seeded Sublimation," Nature, 163, 727-728.
12. Schaefer, V. J., 1954, "Silver and Lead Iodides as Ice Crystal Nuclei," J. Meteor., 12, 417-419.
13. Birstein, S. J., 1955, "The Role of Adsorption in Heterogeneous Nucleation," J. Meteor., 12, 324-331.
14. Bigg, E. K., 1953, "The Supercooling of Water," Ph.D. Thesis, University of London.

15. Hoffer, T. E., 1961, "A Laboratory Study of Droplet Freezing," J. Meteor., 18, 766-778.
16. Bayardelle, M., 1955, "Influence des Dimensions des Noyaux de Congelation sur la Temperature de Congelation de l'eau," Compt. Rend., 241, 232-233.
17. Rouilleau, M., 1957, "Mechanismes de la Congelation de l'eau," J. Sci. Meteor., 9, 127-146.
18. Mason, B. J., and A. P. von den Heuvel, 1959, "The Properties and Behavior of Some Artificial Ice Nuclei," Proc. Phys. Soc., 74, 744-755.
19. Edwards, G. R., and L. F. Evans, 1962a, "Effect of Surface Charge on Ice Nucleation," Trans. Faraday Soc., 58, 1649-1655.
20. Edwards, G. R., and L. F. Evans, 1968, "Ice Nucleation by Silver Iodide: III. The Nature of the Nucleating Site," J. Atmos. Sci., 25, 249-256.
21. Barchet, W. R., 1971, "The Interaction Between Water Vapor and Pure Silver Iodide in the Vicinity of Saturation," Atmospheric Science Paper No. 168, Colorado State University.
22. Edwards, G. R., and L. F. Evans, 1960, "Ice Nucleation by Silver Iodide: I. Freezing vs Sublimation," J. Meteor., 17, 627-634.
23. Edwards, G. R., L. F. Evans, and V. K. La Mer, 1962, "Ice Nucleation by Monodisperse Silver Iodide Particles," J. Colloid Sci., 17, 749-758.
24. Mossop, S. C., and K. O. L. F. Yayaweera, 1969, "AgI-NaI Aerosols as Ice Nuclei," J. Appl. Meteor., 8, 241-248.
25. Langer, G., 1970, "Modification of the Membrane Technique to Efficiently Detect and Study Silver Iodide Ice Nuclei," Preprints Second Nat. Conf. Weather Modification, Santa Barbara, California, 352-356.
26. Weichmann, H. K., U. Katz, and R. L. Steel, 1970, "AgI-Sublimation or Contact Nucleus?" Preprint Second Nat. Conf. Weather Modification, Santa Barbara, California, 332-336.
27. Sax, R. I., and P. Goldsmith, 1972, "Nucleation of Water Drops by Brownian Contact with AgI and Other Aerosols," Quart. J. R. Meteor. Soc., 98, 60-72.



28. Parungo, F. P., 1972, "Electron-Microscopic Study of Silver Iodide as Contact or Sublimation Nucleus," Preprint Third Conf. Weather Modification, Rapid City, South Dakota, 5-7.
29. Katz, U., 1962, "Cloud-Chamber Investigation of Ice Nucleation Activity," Z. Angew. Math. Physics, 13, 333-358.
30. Warburton, J. A., and K. J. Stefferman, 1964, "Time Lag in Ice Crystal Nucleation by Silver Iodide," J. Appl. Meteor., 3, 788-791.
31. Zettlemoyer, A. C., N. Tcheurekdjian, and J. J. Chessick, 1961, "Surface Properties of Silver Iodide," Nature, 192, 653.
32. Corrin, M. L., S. P. Moulik, and B. Cooley, 1967, "The Surface Chemistry of Condensation Nuclei: III, The Adsorption of Water Vapor on 'Doped' Silver Iodide," J. Atmos. Sci., 24, 530-532.
33. Fletcher, N. H., 1969, "Active Sites and Ice Crystal Nucleation," J. Atmos. Sci., 26, 1266-1271.
34. Maruyama, H., 1956, "Electron-Microscope Study of the Ice Crystal Nuclei," Papers Meteor. and Geophys., 7, 251-266.
35. Sano, I., Y. Fujitani, and Y. Maena, 1956, "An Experimental Investigation on Ice-Nucleating Properties of Some Chemical Substances," J. Meteor. Soc. Japan, 34, 105-110.
36. Allee, P. A., H. E. Gerber, and H. K. Weickmann, 1968, "Determination of the Sizes of Ice Nuclei with an Aerosol Spectrometer," J. Rech. Atmos., 1-2, 167.
37. Goetz, A., H. Stevenson, and O. Preining, 1960, "The Design and Performance of the Aerosol Spectrometer," J. Air Pollut. Control Assn., 10, 378-383.
38. Allee, P. A., H. E. Gerber, and H. K. Weickmann, 1969, "Measurements of Ice Nuclei Size Distributions With an Aerosol Spectrometer," Proc. VII Intern. Conf. Condensation and Ice Nuclei, Prague and Vienna, 262-267.
39. Gerber, H. E., P. A. Allee, U. Katz, C. I. Davis, and L. O. Grant, 1970, "Some Size Distribution Measurements of AgI Nuclei with an Aerosol Spectrometer," J. Atmos. Sci., 27, 1060-1067.

40. Gerber, H. E., 1972, "Size and Nucleating Ability of Agl Particles," J. Atmos. Sci., 29, 391-392.
41. Gerber, H. E., and P. A. Allee, 1972, "Size Distributions of Artificial and Natural Ice Nuclei," Preprints Third Conf. Weather Modification, Rapid City, South Dakota, 24-29.
42. Stober, W., and U. Zessack, 1964, "On the Theory of A Conical Aerosol Centrifuge," Staub, 24, 295-305.
43. Raabe, O. G., 1967, "Calibration and Use of the Goetz Aerosol Spectrometer," Assessment of Airborne Radioactivity, International Atomic Energy Agency, Vienna.
44. Baust, E., 1967, "Use of the Goetz Aerosol Spectrometer to Measure the Size Spectra of Polydispersed Aerosols," Staub, 27, 16-23.
45. Gerber, H. E., 1971, "On the Performance of the Goetz Aerosol Spectrometer," Atmospheric Environment, 5, 1009-1031.
46. Stober, W., and H. Flachsbart, 1969, "Size-Separating Precipitation of Aerosols in a Spinning Spiral Dust," Envir. Sci. Technol., 3, 1280-1296.

## **ATMOSPHERIC SCIENCES RESEARCH PAPERS**

1. Miers, B. T., and J. E. Morris, Mesospheric Winds Over Ascension Island in January, July 1970, ECOM-5312, AD 711851.
2. Webb, W. L., Electrical Structure of the D- and E-Region, July 1970, ECOM-5313, AD 714365.
3. Campbell, G. S., F. V. Hansen and R. A. Dise, Turbulence Data Derived from Measurements on the 32-Meter Tower Facility, White Sands Missile Range, New Mexico, July 1970, ECOM-5314, AD 711852.
4. Pries, T. H., Strong Surface Wind Gusts at Holloman AFB (March-May), July 1970, ECOM-5315, AD 711853.
5. D'Arcy, E. M., and B. F. Engebos, Wind Effects on Unguided Rockets Fired Near Maximum Range, July 1970, ECOM-5317, AD 711854.
6. Matonis, K., Evaluation of Tower Antenna Pedestal for Weather Radar Set AN/TPS-41, July 1970, ECOM-5317, AD 711520.
7. Monahan, H. H., and M. Armendariz, Gust Factor Variations with Height and Atmospheric Stability, August 1970, ECOM-5320, AD 711855.
8. Stenmark, E. B., and L. D. Drury, Micrometeorological Field Data from Davis, California; 1966-67 Runs Under Non-Advection Conditions, August 1970, ECOM-6051, AD 726390.
9. Stenmark, E. B., and L. D. Drury, Micrometeorological Field Data from Davis, California; 1966-67 Runs Under Advection Conditions, August 1970, ECOM-6052, AD 724612.
10. Stenmark, E. B., and L. D. Drury, Micrometeorological Field Data from Davis, California; 1967 Cooperative Field Experiment Runs, August 1970, ECOM-6053, AD 724613.
11. Rider, L. J., and M. Armendariz, Nocturnal Maximum Winds in the Planetary Boundary Layer at WSMR, August 1970, ECOM-5321, AD 712325.
12. Hansen, F. V., A Technique for Determining Vertical Gradients of Wind and Temperature for the Surface Boundary Layer, August 1970, ECOM-5324, AD 714366.
13. Hansen, F. V., An Examination of the Exponential Power Law in the Surface Boundary Layer, September 1970, ECOM-5326, AD 715349.
14. Miller, W. B., A. J. Blanco and L. E. Traylor, Impact Deflection Estimators from Single Wind Measurements, September 1970, ECOM-5328, AD 716993.
15. Duncan, L. D., and R. K. Walters, Editing Radiosonde Angular Data, September 1970, ECOM-5330, AD 715351.
16. Duncan, L. D., and W. J. Vechione, Vacuum Tube Launchers and Boosters, September 1970, ECOM-5331, AD 715350.
17. Stenmark, E. B., A Computer Method for Retrieving Information on Articles, Reports and Presentations, September 1970, ECOM-6050, AD 724611.
18. Hudlow, M., Weather Radar Investigation on the BOMEX, September 1970, ECOM-3329, AD 714191.
19. Combs, A., Analysis of Low-Level Winds Over Vietnam, September 1970, ECOM-3346, AD 876935.
20. Rinehart, G. S., Humidity Generating Apparatus and Microscope Chamber for Use with Flowing Gas Atmospheres, October 1970, ECOM-5332, AD 716994.
21. Miers, B. T., R. O. Olsen, and E. P. Avara, Short Time Period Atmospheric Density Variations and a Determination of Density Errors from Selected Rocket-sonde Sensors, October 1970, ECOM-5335.
22. Rinehart, G. S., Sulfates and Other Water Solubles Larger than  $0.15\mu$  Radius in a Continental Nonurban Atmosphere, October 1970, ECOM-5336, AD 716999.
23. Lindberg, J. D., The Uncertainty Principle: A Limitation on Meteor Trail Radar Wind Measurements, October 1970, ECOM-5337, AD 716996.
24. Randhawa, J. S., Technical Data Package for Rocket-Borne Ozone-Temperature Sensor, October 1970, ECOM-5338, AD 716997.

54. Collett, E., Stokes Parameters for Quantum Systems, April 1971, ECOM-3415, AD 729347.
55. Shinn, J. H., Steady-State Two-Dimensional Air Flow in Forests and the Disturbance of Surface Layer Flow by a Forest Wall, May 1971, ECOM-5383, AD 730681.
56. Miller, W. B., On Approximation of Mean and Variance-Covariance Matrices of Transformations of Joint Random Variables, May 1971, ECOM-5384, AD 730302.
57. Duncan, L. D., A Statistical Model for Estimation of Variability Variances from Noisy Data, May 1971, ECOM-5385.
58. Pries, T. H., and G. S. Campbell, Spectral Analyses of High-Frequency Atmospheric Temperature Fluctuations, May 1971, ECOM-5387.
59. Miller, W. B., A. J. Blanco, and L. E. Traylor, A Least-Squares Weighted-Layer Technique for Prediction of Upper Wind Effects on Unguided Rockets, June 1971, ECOM-5388, AD 729792.
60. Rubio, R., J. Smith and D. Maxwell, A Capacitance Electron Density Probe, June 1971, ECOM-5390.
61. Duncan, L. D., Redundant Measurements in Atmospheric Variability Experiments, June 1971, ECOM-5391.
62. Engebos, B. F., Comparisons of Coordinate Systems and Transformations for Trajectory Simulations, July 1971, ECOM-5397.
63. Hudlow, M. D., Weather Radar Investigations on an Artillery Test Conducted in the Panama Canal Zone, July 1971, ECOM-5411.
64. White, K. O., E. H. Holt, S. A. Schleusener, and R. F. Calfee, Erbium Laser Propagation in Simulated Atmospheres II. High Resolution Measurement Method, August 1971, ECOM-5398.
65. Waite, R., Field Comparison Between Sling Psychrometer and Meteorological Measuring Set AN/TMQ-22, August 1971, ECOM-5399.
66. Duncan, L. D., Time Series Editing By Generalized Differences, August 1971, ECOM-5400.
67. Reynolds, R. D., Ozone: A Synopsis of its Measurements and Use as an Atmospheric Tracer, August 1971, ECOM-5401.
68. Avara, E. P., and B. T. Miers, Noise Characteristics of Selected Wind and Temperature Data from 30-65 km, August 1971, ECOM-5402.
69. Avara, E. P., and B. T. Miers, Comparison of Linear Trends in Time Series Data Using Regression Analysis, August 1971, ECOM-5403.
70. Miller, W. B., Contributions of Mathematical Structure to the Error Behavior of Rawinsonde Measurements, August 1971, ECOM-5404.
71. Collett, E., Mueller Stokes Matrix Formulation of Fresnel's Equations, August 1971, ECOM-3480.
72. Armendariz, M., and L. J. Rider, Time and Space Correlation and Coherence in the Surface Boundary Layer, September 1971, ECOM-5407.
73. Avara, E. P., Some Effects of Randomization in Hypothesis Testing with Correlated Data, October 1971, ECOM-5408.
74. Randhawa, J. S., Ozone and Temperature Change in the Winter Stratosphere, November 1971, ECOM-5414.
75. Miller, W. B., On Approximation of Mean and Variance-Covariance Matrices of Transformations of Multivariate Random Variables, November 1971, ECOM-5413.
76. Horn, J. D., G. S. Campbell, A. L. Wallis (Capt., USAF), and R. G. McIntyre, Wind Tunnel Simulation and Prototype Studies of Barrier Flow Phenomena, December 1971, ECOM-5416.
77. Dickson, David H., and James R. Oden, Fog Dissipation Techniques for Emergency Use, January 1972, ECOM-5420.
78. Ballard, H. N., N. J. Beyers, B. T. Miers, M. Izquierdo, and J. Whitacre, Atmospheric Tidal Measurements at 50 km from a Constant-Altitude Balloon, December 1971, ECOM-5417.
79. Miller, Walter B., On Calculation of Dynamic Error Parameters for the Rawinsonde and Related Systems, January 1972, ECOM-5422.

25. Devine, J. C., The Fort Huachuca Climate Calendar, October 1970, ECOM-6054.
26. Allen, J. T., Meteorological Support to US Army RDT&E Activities, Fiscal Year 1970 Annual Report, November 1970, ECOM-6055.
27. Shinn, J. H., An Introduction to the Hyperbolic Diffusion Equation, November 1970, ECOM-5341, AD 718616.
28. Avara, E. P., and M. Kays., Some Aspects of the Harmonic Analysis of Irregularly Spaced Data, November 1970, ECOM-5344, AD 720198.
29. Fabrici, J., Inv. of Isotopic Emitter for Nuclear Barometer, November 1970, ECOM-3349, AD 876481.
30. Levine, J. R., Summer Mesoscale Wind Study in the Republic of Vietnam, December 1970, ECOM-3375, AD 721585.
31. Petriw, A., Directional Ion Anemometer, December 1970, ECOM-3379, AD 720573.
32. Randhawa, J. S., B. H. Williams, and M. D. Kays, Meteorological Influence of a Solar Eclipse on the Stratosphere, December 1970, ECOM-5345, AD 720199.
33. Nordquist, Walter S., Jr. and N. L. Johnson, One-Dimensional Quasi-Time-Dependent Numerical Model of Cumulus Cloud Activity, December 1970, ECOM-5350, AD 722216.
34. Avara, E. P., The Analysis of Variance of Time Series Data Part I: One-Way Layout, January 1971, ECOM-5352, AD 721594.
35. Avara, E. P., The Analysis of Variance of Time Series Data Part II: Two-Way Layout, January 1971, ECOM-5353.
36. Avara, E. P., and M. Kays., The Effect of Interpolation of Data Upon the Harmonic Coefficients, January 1971, ECOM-5354, AD 721593.
37. Randhawa, J. S., Stratopause Diurnal Ozone Variation, January 1971, ECOM-5355, AD 721309.
38. Low, R. D. H., A Comprehensive Report on Nineteen Condensation Nuclei (Part II), January 1971, ECOM-5358.
39. Armendariz, M., L. J. Rider, G. Campbell, D. Favier and J. Serna, Turbulence Measurements from a T-Array of Sensors, February 1971, ECOM-5362, AD 726390.
40. Maynard, H., A Radix-2 Fourier Transform Program, February 1971, ECOM-5363, AD 726389.
41. Devine, J. C., Snowfalls at Fort Huachuca, Arizona, February 1971, ECOM-6056.
42. Devine, J. C., The Fort Huachuca, Arizona 15 Year Base Climate Calendar (1956-1970), February 1971, ECOM-6057.
43. Levine, J. R., Reduced Ceilings and Visibilities in Korea and Southeast Asia, March 1971, ECOM-3403, AD 722735.
44. Gerber, H., et al., Some Size Distribution Measurements of AgI Nuclei with an Aerosol Spectrometer, March 1971, ECOM-3414, AD 729331.
45. Engebos, B. F., and L. J. Rider, Vertical Wind Effects on the 2.75-inch Rocket, March 1971, ECOM-5365, AD 726321.
46. Rinehart, G. S., Evidence for Sulfate as a Major Condensation Nucleus Constituent in Nonurban Fog, March 1971, ECOM-5366.
47. Kennedy, B. W., E. P. Avara, and B. T. Miers, Data Reduction Program for Rocketsonde Temperatures, March 1971, ECOM-5367.
48. Hatch, W. H., A Study of Cloud Dynamics Utilizing Stereoscopic Photogrammetry, March 1971, ECOM-5368.
49. Williamson, L. E., Probe Gun Probe Captive Impact Test Range, March 1971, ECOM-5369.
50. Henley, D. C., and G. L. Madaie, Attenuation and Dispersion of Acoustic Energy by Atmospheric Dust, March 1971, ECOM-5370, AD 728103.
51. Cionco, R. M., Application of the Ideal Canopy Flow Concept to Natural and Artificial Roughness Elements, April 1971, ECOM-5372, AD 730638.
52. Randhawa, J. S., The Vertical Distribution of Ozone Near the Equator, April 1971, ECOM-5373.
53. Ethridge, G. A., A Method for Evaluating Model Parameters by Numerical Inversion, April 1971, ECOM-5374.

80. Richter, Thomas J., Rawin Radar Targets, February 1972, ECOM-5424.
81. Pena, Ricardo, L. J. Rider, and Manuel Armendariz, Turbulence Characteristics at Heights of 1.5, 4.0, and 16.0 Meters at White Sands Missile Range, New Mexico, January 1972, ECOM-5421.
82. Blanco, Abel J., and L. E. Traylor, Statistical Prediction of Impact Displacement due to the Wind Effect on an Unguided Artillery Rocket During Powered Flight, March 1972, ECOM-5427.
83. Williams, B. H., R. O. Olsen, and M. D. Kays, Stratospheric-Ionospheric Interaction During the Movement of a Planetary Wave in January 1967, March 1972, ECOM-5428.
84. Schleusener, Stuart A., and Kenneth O. White, Applications of Dual Parameter Analyzers in Solid-State Laser Tests, April 1972, ECOM-5432.
85. Pries, Thomas H., Jack Smith, and Marvin Hamiter, Some Observations of Meteorological Effects on Optical Wave Propagation, April 1972, ECOM-5434.
86. Dickson, D. H., Fogwash I An Experiment Using Helicopter Downwash, April 1972, ECOM-5431.
87. Mason, J. B., and J. D. Lindberg, Laser Beam Behavior on a Long High Path, April 1972, ECOM-5430.
88. Smith, Jack, Thomas H. Pries, Kenneth J. Skipka, and Marvin Hamiter, Optical Filter Function for a Folded Laser Path, April 1972, ECOM-5433.
89. Lee, Robert P., Artillery Sound Ranging Computer Simulations, May 1972, ECOM-5441.
90. Lowenthal, Marvin J., The Accuracy of Ballistic Density Departure Tables 1934-1972, April 1972, ECOM-5436.
91. Cantor, Israel, Survey of Studies of Atmospheric Transmission from a  $4\pi$  Light Source to a  $2\pi$  Receiver, April 1972, ECOM-5435.
92. Barr, William C., Accuracy Requirements for the Measurement of Meteorological Parameters Which Affect Artillery Fire, April 1972, ECOM-5437.
93. Duchon, C. E., F. V. Brock, M. Armendariz, and J. D. Horn, UVW Anemometer Dynamic Performance Study, May 1972, ECOM-5440.
94. Gomez, R. B., Atmospheric Effects for Ground Target Signature Modeling I. Atmospheric Transmission at 1.06 Micrometers, June 1972, ECOM-5445.
95. Bonner, R. S., A Technical Manual on the Characteristics and Operation of a Cloud Condensation Nuclei Collection/Detection/Recording Instrument, June 1972, ECOM-5447.
96. Horn, J. D., R. D. Reynolds, and T. H. Vonder Haar, Survey of Techniques Used in Display of Sequential Images Received from Geostationary Satellites, June 1972, ECOM-5450.
97. Bonner, R. S., and H. M. White, Microphysical Observations of Fog in Redwood Valley near Arcata-Eureka, California, July 1972, ECOM-5455.
98. Waite, R. W., Reliability Test of Electronics Module of Meteorological Measuring Set AN TMQ-22(XE-4), June 1972, ECOM-5448.
99. Doswell, C. A., III, An Iterative Method for Saturation Adjustment, June 1972, ECOM-5444.
100. Doswell, C. A., III, A Two-Dimensional Short-Range Fog Forecast Model, May 1972, ECOM-5443.
101. Seagraves, Mary Ann B., A General-Purpose Meteorological Rocket Data Reduction Program, August 1972, ECOM-5463.
102. Loveland, Loveland, R. B., J. L. Johnson, and B. D. Hinds, Differential Magnetic Measurements Near Cumulus Clouds, August 1972, ECOM-5463.
103. Cantor, Israel, and Michael Hudlow, Rainfall Effects on Satellite Communications in the K, X, and C Bands, July 1972, ECOM-5459.
104. Randhawa, J. S., Variations in Stratospheric Circulation and Ozone During Selected Periods, August 1972, ECOM-5460.
105. Rider, L. J., Armendariz, Manuel, Mean Horizontal Wind Speed and Direction Variability at Heights of 1.5 and 4.0 Meters Above Ground Level at WSMR, New Mexico, October 1972, ECOM-5466.

106. Nordquist, Walter S., Jr., and Dickson, David H., Helicopter Downwash Applied to Fog Clearing: A Status Summary, October 1972, ECOM-5465.
107. Engebos, Bernard F., Effects of Vertical Wind on Tactical Rockets and Artillery Shells, November 1972, ECOM-5467.
108. Armendariz, M., and James R. Scoggins, Characteristics of the Turbulent Diffusion Parameters as Related to Stability, November 1972, ECOM-5468.
109. White, Kenneth O., James B. Gillespie, Robert Armstrong, and Larry E. Traylor, State-of-the-Art Survey of Meteorological Instrumentation Required to Determine Atmospheric Effects on Airborne Laser Tests, November 1972, ECOM-5469.
110. Duncan, Louis D., and Barbara J. Richart, Mesoscale Variation of Spectral Radiance Near 15 Micrometers, December 1972, ECOM-5470.
111. Schleusener, Stuart A., and Kenneth O. White, Solid-State Laser Multiwavelength Identification and Display System, January 1973, ECOM-5473.
112. Nordquist, Walter S., Jr., Numerical Approximations of Selected Meteorological Parameters Related to Cloud Physics, March 1973, ECOM-5475.
113. Maynard, Harry, An Evaluation of Ten Fast Fourier Transform (FFT) Programs, March 1973, ECOM-5476.
114. Gerber, Herman E., Freezing Water with Sized Agl Particles Part I: A Survey, March 1973, ECOM-5477.